


6-Contact Standard (Conforms to MIL-C-55116)

GC283

RECEPTACLE


Spring loaded contacts, solder terminals, mates with GC329, GC617 & GC617A. Other pin styles available.



GC328

PLUG


Spring loaded contacts, solder pin terminals, mates with GC329, GC617 & GC617A.



GC329

PLUG

Rigid contacts, barrel pin terminals,* mates with GC283, GC328 & GC683S.





*Solder pin terminals also available.

GC529

RECEPTACLE



Rigid contacts, solder terminals, mates with GC283, GC328 & GC683S.
Also available in 5-pin version.



GC729

RECEPTACLE

Rigid contacts, solder terminals, mates with GC283, GC328 & GC683S.




6-Contact Lightweight (Conforms to MIL-C-55116)

GC683S

RECEPTACLE


Spring loaded contacts, solder terminals, mates with GC329, GC617 & GC617A.



GC617

PLUG


Rigid contacts, solder terminals,* mates with GC283, GC328 & GC683S.



GC617A**

PLUG

Rigid contacts, solder terminals,* mates with GC283, GC328 & GC683S.



*Also available with barrel terminals.

**Shell material is aluminum.

Weight In Ounces			
6-Contact Standard	GC329 2.01	GC617 1.19	GC283 1.04
6-Contact Lightweight	NA	GC617A 0.80	GC683S 0.73